

# MEDIA conference walls and high table



## FEATURES

- Easy and fast assembling - "metal to metal" fixing
- Different types of media units to fit your needs
- Integration possibility for a flat screen (TV or computer) along with media and data technologies

## TECHNICAL INFORMATION



Media wall\* with VESA mount and integrated power socket - CMZ120



Media wall\* with VESA mount and round Ø60 mm plastic cable port under the tabletop for wire management - CMZ121



Media wall\*\* with VESA mount and integrated power socket - CMZ122



Media wall (1200x132, H=1860 mm) with VESA mount and fixed high table (1800x800, H=1050 mm) with integrated power socket - CMM122

### \* Not free standing – must be fixed to the table. Suitable for meeting tables:

- JAZZ (CGM200, CGM201, CGM280, CGM320, CGM203, CGM281, CGM321);
- NOVA (BNA180, BNA200);
- NOVA WOOD (CNM121, CNM181, CNM240, CNM281, CNM123, CNM183, CNM242, CNM283, CNM122, CNM182, CNM241, CNM282, CNM127, CNM187, CNM246, CNM287, CNM124, CNM184, CNM243, CNM284, CNM126, CNM186, CNM245, CNM286, CNM125, CNM185, CNM244, CNM285, CNM128, CNM188, CNM247, CNM288);
- T-EASY (DZM202, DZM242).

### \*\* Not free standing – must be fixed to the table. Suitable for high tables:

- JAZZ (CGM180);
- NOVA (CNM165, CNM180);
- NOVA WOOD (CNM166, CNM18A).

### Carcass

- Front and back panels made of 16 mm MFC (melamine);
- Sides made of 18 mm MFC (melamine);
- All edges of front and back panels are made of 1 mm ABS;
- Non-visible edges are 0,5 mm ABS;
- Back panel fixing to carcass with rectangular 25 mm pieces of MDF;
- Four height levelling feet (+10 mm);
- Metal brackets for connection to table tops are made of 2,5 mm sheet metal (except media wall with high table);
- Round white plastic cable ports, Ø60 mm.

## GUARANTEE

- 5 years

### VESA mount

- VESA standards – 100x100, 200x100, 200x200, 300x300 mm;
- VESA plate made of 3 mm metal sheet (325x325 mm);
- VESA plate has an option for screen height adjustment ±50 mm;
- Screen and carcass have 40 mm space for plugs and wiring;
- Screen spacers made of 40x20x2 mm tube;
- Powder coated metal;
- Recommended screen up to 42", weight up to 15 kg;
- Screws for screen fixing to VESA plate are NOT INCLUDED.

### Fixed high table

- Desktop with Ø80 mm cut-out for power socket;
- 25 mm MFC (melamine) with 2 mm ABS edging;
- Plastic feet with height levelling (+10 mm);
- Ø35x2 mm powder coated metal frame with Ø86x4 mm side fixing plates.


### Power socket

- By GOTESSIONS (EU, UK, FR standards);
- 1 socket for 230 V and 4 holes for cable guides.

## MATERIALS


- Melamine (combinations available): P (birch), T (beech), D1 (whitened oak), D2 (amber oak), U (walnut), M1 (white), N (grey), only for wall sides – J3 (black), N1 (dark grey);
- Metal: E (white), M (metallic), A (black).

RANGE





ORDERING EXAMPLE


Code structure



CMZ120 - D1 N1 M - EU



CMM122 - D1 N1 M - EU



Optional









Power socket blocks



Cable clips





CABLE MANAGEMENT

Back panel mounting / unmounting



Not included

Included

-  Portable electronic device-to-TV / monitor cable
-  TV / monitor electric cable
-  Portable electronic device electric charger
-  Power socket block

Integrated GOTESONS power socket suitable for EU / UK / FR (optional)